CTM POTTERS SUPPLIES

SAFETY DATA SHEET

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product information:

Product Name : Copper Oxide
Chemical Name : Cupric Oxide

Synonyms : Copper (II) Oxide

Company : CTM Potters Supplies

Unit 10A, Millpark Industrial Estate

White Cross Road Woodbury Salterton

Nr. Exeter EX5 1EL

 Telephone
 : 01395-233-077

 Fax
 : 01395-233-905

2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients CAS Number EC Number % of composition

Copper 2 Oxide 1313-38-0 2152691 >98

3. HAZARD IDENTIFICATION

Inhalation: Excessive exposure may cause symptoms of chronic lung disease.

Ingestion: Ingestion of large amount may cause vomiting, diarrhoea, nausea, salivation and intense pain.

Eyes: May cause physical irritation and inflammation.

Skin: The material is not a primary irritant, but as with any abrasive powder it may give rise to minor irritation.

Discoloration of the skin may occur, without indicating injury. Some people may become allergic to copper

and develop dermatitis and long lasting sensitivity.

4. FIRST AID MEASURES

General Recommendations:

Inhalation: Remove patient to fresh air, loosen tight clothing and seek medical attention.

Ingestion: Do not induce vomiting. Seek medical advice.

Eyes: Wash immediately with copious amounts of water.

Skin: Wash affected areas with water.

5. FIRE-FIGHTING MEASURES

Extinguishing media: Those suitable for surrounding fire conditions.

Special exposure hazards: In the event of a fire the product may emit harmful or toxic fumes.

Protective personal equipment: None other than those suitable for the surrounding fire conditions.

6. ACCIDENTAL RELEASE MEASURES

Leaks & Spills: Use suitable vacuum equipment where reasonably practicable. Otherwise, damp down and

scoop into a receptacle.

Personal protective equipment: Respiratory protective equipment.

7. HANDLING AND STORAGE

Handling: Do not eat, drink, or smoke in areas where the material is used.

Wash thoroughly after handling the material.

Storage: Store in dry area.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Engineering controls: Adequate ventilation should be provided so that Occupational Exposure Limits are not

exceeded. Local Exhaust Ventilation is normally recommended.

Personal protective equipment: Where LEV is not practicable and exposure is likely to be excessive, approved respiratory

protection to CEN standards prEN 140, 141, 143 or 149 should be worn. Protective gloves

and overalls are recommended for prolonged contact.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance:

Form: powder Colour: black Odour: odourless

Flash point (⁰C): N/A

Flammability: N/A

Explosive properties: Non-explosive

Specific gravity: About 6

pH value: 7 (insoluble in water)

Melting point (°C): >1350°C but starts to decompose from 1100°C

None

10. STABILTY AND REACTIVITY

Oxidising properties:

Chemical stability: The material is stable

Conditions/materials to avoid: Powdered or reactive metals, hydrogen suphide, phthalic onhydride,

dichloromethylsilane, reductants.

Hazardous decomposition products: None known

Hazardous polymerization products: None

11. TOXICOLOGICAL INFORMATION

Acute toxicology: LD50 Oral: 470mg/kg

LD50 Dermal: Not known LD50 inhalation: Not known

Health effects: Prolonged or repeated exposure above Occupational Exposure Standards may

cause fibrosis of the lungs.

12. ECOLOGICAL INFORMATION

Ecotoxicity: Not known but it is used as a fungicide.

Persistence: Not known.

13. DISPOSAL CONSIDERATIONS

Dispose in accordance with current waste disposal regulations (for UK - Control of Pollution (Special Waste) Regulations 1980). Landfill is the most appropriate method.

14. TRANSPORT INFORMATION

UN/SI No. Not restricted UN Class Not restricted Packing Group Not restricted Road UK Not restricted ADR Not restricted Sea IMO Not restricted Air Not restricted

ICAO

15. REGULATORY INFORMATION

EC Supply Labelling: Harmful

R20/22 **R-Phrases:** harmful by inhalation and if swallowed.

> R33 danger of cumulative effect.

S-Phrases: S13 keep away from food, drink and animal feeding stuff.

5

S20/21 when using do not eat, drink or smoke.

UK Occupational exposures limits*: Mg/m^3 8 hr TWA % in product.

Dusts 10 Total inhalable

Total respirable

In accordance with HSE Approved Code of Practice for CHIP, the recipient is reminded of their obligations under both the Health and Safety at Work Act (HSWA) and the Control of Substances Hazardous to Health Regulations (COSHH), and that the information in any safety data sheet does not constitute the user's assessment of workplace risk.

16. OTHER INFORMATION

References:

COSHH ACOP HSC approved Code of Practice for the Control of Substances Hazardous to Health Regulations 1994

CHIP 96 Chemicals (Hazard Information and Packaging for Supply) Regulations 1996

CHIP SDS ACOPS HSC Approved Code of Practice for Safety Data Sheets in accordance with regulation 6 of the CHIP

regulations.

HSE EH40 HSE Guidance note EH40 on Occupational Exposure Limits to be used in conjunction with the COSH

regulations.

Further information:

Data sheet producing department: CTM Potters Supplies

Telephone: 01395-233-077

Disclaimer:

The information contained in this safety data sheet has been prepared using the best available information, however in view of technical developments, this may alter. The material must only be used for its stated purpose and the information contained within this data sheet is offered solely for use in the evaluation of this product in respect of safety, health and environmental hazards. Due to the many factors outside our control when using this product, we cannot accept liability for any injury, accident, loss or damage caused through its use.

^{*}Refer to HSE Guidance note EH40