# **CTM POTTERS SUPPLIES**

# SAFETY DATA SHEET

### 1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

Product information:	
Product Name	: Iron Oxide Red
Chemical Name	: Iron Oxides
Synonyms	: None
Company	: CTM Potters Supplies Unit 10A, Millpark Industrial Estate White Cross Road Woodbury Salterton Nr. Exeter EX5 1EL
Telephone Fax	: 01395-233-077 : 01395-233-905

### 2. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients	CAS Number	EC Number	% of composition
Please refer to sum	nmary table.		
3. HAZARD IDENTIFICAT	ΓΙΟΝ		
Inhalation:	Excessive exposur	re may cause sympton	ns of chronic lung disease.
Ingestion:	The product is of low solubility in body fluids and it is likely to be of low toxicity.		
Eyes:	May cause physical irritation and inflammation.		
Skin:	The material is not	t a primary irritant, bu	at as with any abrasive powder it may give rise to minor irritation.

# 4. FIRST AID MEASURES

General Recommendations:	
Inhalation:	Remove patient to fresh air, loosen tight clothing and seek medical attention.
Ingestion:	Do not induce vomiting. Seek medical advice.
Eyes:	Wash immediately with copious amounts of water.
Skin:	Wash affected areas with water.

#### 5. FIRE-FIGHTING MEASURES

Extinguishing media:	Those suitable for surrounding fire conditions.
Special exposure hazards:	In the event of a fire the product may emit harmful or toxic fumes.
Protective personal equipment:	Self contained breathing apparatus.

# 6. ACCIDENTAL RELEASE MEASURES

Leaks & Spills:	Use suitable vacuum equipment where reasonably practicable. Otherwise, damp down and scoop into a receptacle.	
Personal protective equipment:	Respiratory protective equipment.	
7. HANDLING AND STORAGE		
Handling:	Do not eat, drink, or smoke in areas where the material is used. Wash thoroughly after handling the material.	
Storage:	Store in dry area.	
8. EXPOSURE CONTROLS/PERSONAL PROTECTION		
Engineering controls:	Adequate ventilation should be provided so that Occupational Exposure Limits are not exceeded. Local Exhaust Ventilation is normally recommended.	

# **nent:** Where LEV is not practicable and exposure is likely to be excessive, approved respiratory protection to CEN standards prEN 140, 141, 143 or 149 should be worn. Protective gloves and overalls are recommended for prolonged contact.

# 9. PHYSICAL AND CHEMICAL PROPERTIES

Personal protective equipment:

Appearance:	
Form:	powder
Colour:	red
Odour:	odourless
Flash point ( <sup>0</sup> C):	N/A
Flammability:	N/A
Explosive properties:	Non-explosive
Oxidising properties:	None
Specific gravity:	3 - 5
pH value:	7 (insoluble in water)
Melting point ( <sup>0</sup> C):	Not available

## 10. STABILTY AND REACTIVITY

Chemical stability:	The material is stable
Conditions/materials to avoid:	None known
Hazardous decomposition products:	None known
Hazardous polymerization products:	None
11. TOXICOLOGICAL INFORMATION	
Acute toxicology:	LD50 Oral: >2000mg/kg

	LD50 Dermal: LD50 inhalation:	Not known Not known	
Health effects:	Prolonged or repeated exposure above Occupational Exposure Standards may cause fibrosis of the lungs.		
12. ECOLOGICAL INFORMATION			
Ecotoxicity:	Not known.		
Persistence:	The material is chen	nically stable and will persist in the environment.	

#### 13. DISPOSAL CONSIDERATIONS

Dispose in accordance with current waste disposal regulations (for UK – Control of Pollution (Special Waste) Regulations 1996). Landfill is the most appropriate method.

#### 14. TRANSPORT INFORMATION

UN/SI No.		Not restricted
UN Class		Not restricted
Packing Group		Not restricted
Road	UK	Not restricted
	ADR	Not restricted
Sea	IMO	Not restricted
Air		Not restricted
	ICAO	

#### **15. REGULATORY INFORMATION**

EC Supply Labelling:	Non hazardous
R-Phrases:	None
S-Phrases:	Optional for dusty powders S20/21: when using do not eat, drink or smoke. S38: in case of insufficient ventilation wear suitable respiratory equipment.
<b>UK Occupational exposures limits*:</b> Dusts - Total inhalable Total respirable	Mg/m <sup>3</sup> 8 hr TWA % in product. 10 5
*Refer to HSE Guidance note EH40	

In accordance with HSE Approved Code of Practice for CHIP, the recipient is reminded of their obligations under both the Health and Safety at Work Act (HSWA) and the Control of Substances Hazardous to Health Regulations (COSHH), and that the information in any safety data sheet does not constitute the user's assessment of workplace risk.

#### **16. OTHER INFORMATION**

#### Summary per product:

Ref	Component	CAS	EINECS	% of composition
RM1309	Red iron oxide Fe <sub>2</sub> O <sub>3</sub>	1309-37-1	2151682	100%

#### **References:**

COSHH ACOP	HSC approved Code of Practice for the Control of Substances Hazardous to Health Regulations 1994
CHIP 96	Chemicals (Hazard Information and Packaging for Supply) Regulations 1996
CHIP SDS ACOPS	HSC Approved Code of Practice for Safety Data Sheets in accordance with regulation 6 of the CHIP regulations.
HSE EH40	HSE Guidance note EH40 on Occupational Exposure Limits to be used in conjunction with the COSH regulations.

#### Further information:

Data sheet producing department: CTM Potters Supplies Telephone: 01395-233-077

#### **Disclaimer:**

The information contained in this safety data sheet has been prepared using the best available information, however in view of technical developments, this may alter. The material must only be used for its stated purpose and the information contained within this data sheet is offered solely for use in the evaluation of this product in respect of safety, health and environmental hazards. Due to the many factors outside our control when using this product, we cannot accept liability for any injury, accident, loss or damage caused through its use.